



MULTI-FAMILY LIGHTING GUIDE



AERIS - HUGGER FAN
88314PC

THE MAXIM ADVANTAGE



TRUST

Maxim Lighting is the premier lighting source thanks to dedicated customer service and trusted work in lighting research & design:

- Dedicated local points of contact with reliable support from our experienced national builder team



DISTRIBUTION

Maxim helps developers stay on schedule by maintaining a 95% fulfillment rate within our fully owned bi-coastal warehouses totaling almost one million square feet. In addition to fully stocked items, replacement parts are readily available.



PROJECT SOLUTIONS

The MultiMax Program offers a full range of services for your project:

- Product selection guides
- Interior, amenities, and site lighting layouts
- Energy-efficient and budget-friendly lights and control solutions
- Maxim reserves stock on hold for orders
- Bottom line pricing that will keep you on budget
- Energy-efficient solutions



INNOVATION

Maxim brands have developed products using the latest technology:

- Designing decorative LED lighting
- Continual product redesign and development
- Vivex, a proprietary outdoor rated material made to withstand harsh climates and UV-resistant
- Light Controls



DEVELOPER REWARDS

The MultiMax Program delivers cost savings through:

- Tailored incentive programs that fit your organization's needs
- Offering a broad range of products at a variety of price points
- Custom manufacturing and logistics solutions





DIVERSE FLUSH MOUNT
87411WTWT

LED SURFACE MOUNTS

ECONOMICAL



- DIRECT INSTALL



DIVERSE

White | **Black**
LED PCB Integ., 3000K (700lm Del.)



DIVERSE

White | **Black**
11W LED PCB Integ., 3000K (1,000lm Del.)



PREMIUM PAIRING



- EDGE LIT

24/7 COMMERCIAL
120-277V



WAFFER: TRIAC / ELV

White | **Black** | **Bronze** | **Nickel**
15W, 3000K (1,150lm Del.)



WAFFER: 0-10V

White | **Black** | **Bronze** | **Nickel**
15W, 3000K (1,100lm Del.)



IN-UNIT COMPANION



CHIP - CCT SELECT

White | **Black**
12W LED, 27-30-35-40-50K (700lm Del.)



CHIP

White | **Black** | **Satin Nickel**
11W LED, 3000K (700lm Del.)



STYLE SELECTION

- THIN EDGE WALL
- DIRECT LIGHT SOURCE
- HIGHER LUMENS



TRIM: TRIAC / ELV

White | **Black** | **Chrome** | **Satin Nickel**
13W, 3000K (1,000lm Del.)



TRIM: 0-10V

White | **Black**
15W, 3000K (1,450lm Del.)



INCREDIBLE RECESSED LOOKS! SIMPLE SURFACE MOUNT INSTALLATION

SNUG


IN-UNIT



SNUG

White

11W LED, 3000K (750lm Del.)



SNUG

White | Black

11W LED, 27-30-35-40-50K (800lm Del.)



MUD-IN FOR AN EVEN
CLEANER INSTALLATION

CRISP



IN-UNIT




CRISP - ROUND

87664WT

5" D x 1.5" H

White | White / Black

12W, 3000K (1,000lm Del.)




CRISP - CCT SELECT

White | Black

12W LED, 27-30-35-40-50K (1,000lm Del.)




OR



CRISP - TRIMLESS

White | White / Black

12W, 27-50K (1,000lm Del.)



CRISP - SQUARE

87674WTBK


5" D x 1.5" H

White | White / Black

12W, 3000K (1,000lm Del.)



CYLINDERS



MSC862WT

FOR CALIBRO &
CALDERA



CALIBRO

86430BK

5.25" D x 7.75" H

White | Black | Bronze

7W, 3000K (640lm Del.)



CALDERA

86210WT

3.25" W x 1.5" H

White | Black

12W LED, 3000K (1,200lm Del.)



STOUT - ROUND

86212WT

4.75" D x 4.25" H

White | Black


20W, 3000K (1,500lm Del.)



RECESSED



CAN-LESS



SLIM

White

10W LED, 27-30-35K (750lm Del.)



SLIM - FIRE RATED

White

15W LED, 27-30-35K (1,200lm Del.)



INDIRECT LIGHT SOURCE



COVE



White

12W LED, 3000K (850lm Del.)



ACCESSORIES

TRIM OPTIONS AVAILABLE



ROUGH IN PLATE ACC.
MSC6770AL



REMOTE DRIVER



TILT

White

9W LED, 2700-5000K (850lm Del.)



LINEAR FLUSH MOUNT



- CCT SELECT
- WATTAGE SELECTABLE



WORKSHOP

White

20|30|40W, 30-35-40-50K (4,200lm Del.)



VAPORTIGHT

White

30|40|50W, LED, 30-35-40-50K (6,500lm Del.)



LED WRAP

White

20W, 27-30-35-40-50K (1,650lm Del.)



CLOUD

White

40W, LED, 27-30-35-40-50K (1,650lm Del.)



SKY 1' x 4' - CCT SELECT

White | Black | Bronze | Aluminum
50W, 27-30-35-40-50K (3,500lm Del.)



SKY 1' x 2' - CCT SELECT

White | Black | **Bronze** | Aluminum
40W, 27-30-35-40-50K (2,800lm Del.)





ENTRY



COUNTERMAX LITE
UCL-89844WT



3" W x 16" L x 1" H



1K 24"
89853WT



3.5" W x 24" L x 1" H



COUNTERMAX 5K- LITE
UCL-89875WT



3" W x 24" L x 1" H



UPGRADE



COUNTERMAX 5K 24"
89865WT




3.5" W x 24" L x 1" H



COUNTERMAX 5K w/ 3PO
UCL-89866SN-3PO



3.5" W x 30" L x 1" H



SLIM STICK



24V LOW VOLTAGE



COUNTERMAX 24V
89802AL



.75" W x 24" L x .5" H



120V



COUNTERMAX 120V
88953BZ





1.5" W x 24" L x .75" H




LED CHANNEL


24V



COUNTERMAX - BACK EDGE



COUNTERMAX - CORNER



COUNTERMAX - RECESSED





LIVINGSTON FLUSH MOUNT
10469CDBK


ENTRY LIGHTS

FOYER LIGHTS



NEVE
21225MRNAB

18.75" D x 10.5" H



SENTINEL
25250CLBK

13.25" D x 11.75" H




ACADIA
12270CDBK

8.75" D x 10.5" H




LOGAN
10042FTOI

13" D x 8.5" H




AURORA
20091FTSN

13" D x 9" H




DEVEN
20031SWSBR

14" D x 10" H



DART
21287SWBK

16.75" D x 21" H



BONGO
10014OMNAB

11" D x 18" H



PROVIDENT
10030BK

12" D x 14.5" H



PROVIDENT
10033SN

10" D x 16" H



VITAL
12070FTOI

16.5" D x 21" H



MALAGA
2682FTSN

16" D x 24.5" H





SINCH PENDANT
11452SWBK

PENDANTS

SINGLE



TOVA
11482BKGLD

9" D x 7" H
Black/Gold | Satin Nickel
60W E26 Med Incandescent



BABYLON
11112CLSBK

7.25" D x 10.5" H
Black | **Satin Brass** | Nickel
60W E26 Med Incandescent




HUDSON
12886CLBK

7.75" D x 14.5 H
Black | Natural Aged Brass | Satin Nickel
60W E26 Med Incandescent



SENTINEL
25252CLBK

6.75" D x 11.25" H
Black | Nickel
60W E26 Med Incandescent



DEVEN
90030SWOI

4" D x 7.5" H
Black | **Oil Rubbed Bronze**
Satin Brass | Satin Nickel
60W E26 Med Incandescent



CORONA
90200CLSN

5" D x 6" H
Black | Satin Brass | **Satin Nickel**
60W E26 Med Incandescent



SCOPE
10194CLFPC

4.75" D x 15" H
Satin Nickel
8W, 3000K (480lm Del.)



DUO
12289CLSWSN

4.5" D x 11" H
Black | **Satin Nickel**
9W, 3000K (400lm Del.)



TORCH
E11000-24BK

2.5" D x 14.75" H
Black | Polished Chrome | Satin Brass
7W, 3000K (450lm Del.)



SPARTAN WALL SCONCES
E23235-NAB

WALL SCONCES

ADA

ADA



CALIBRO

White | **Black** | Bronze
14W, 3000K (1,190lm Del.)



PRIME

Oatmeal | White Linen | Black Organza | **Grass Cloth**
10W, 27-30-35-40-50K (550lm Del.)



SPARTAN

Bronze | Black | **Natural Aged Brass**
12W, 3000K (1,000lm Del.)



PATHFINDER

Black | Bronze | Silver
15W, 3000K (820lm Del.)



LEDGE

Black | Bronze | White
15W, 3000K (1,000lm Del.)



TAPER

White | Black | **Architectural Bronze** | Silver
10W, 3000K (500lm Del.)



QUARRY

Dark Bronze | Natural Aged Brass
10W, 3000K (630lm Del.)



SLAB

Dark Bronze | **Natural Aged Brass**
12W, 27-30-35-40-50K (440lm Del.)






DEXTER BATH SCNCE
57942WTBK

BATH VANITIES

DAMP RATED



SPEC - CCT
52052BK



24" W x 4.75" H x 2.75" Ext
Black | Satin Nickel | Chrome | Gold
16W, 27-35-40K (1,250lm Del.)


REMOVABLE BACK PLATE



EDGE - 5CCT
59002CLFTSN



24" W x 2.75" H x 2.75" Ext
Black | Polished Chrome | **Satin Nickel**
24W, 27-30-35-40-50K (1,700lm Del.)



LATITUDE - 5CCT
E23422-BK



24" W x 5" H x 2.5 Ext
Black | Polished Chrome | Satin Nickel
20W, 27-30-35-40-50K (1,350lm Del.)



DURHAM
12893WTNAB

24" W x 8" H x 6.5" Ext
Black | **Natural Aged Brass** | Satin Nickel | Polished Chrome
60W Incandescent E26 Medium



RAIL - CCT
52152SN



24" W x 4.75" H x 2.75" Ext
Black | Chrome | **Satin Nickel**
16W, 27-35-40K (1,400lm Del.)

REMOVABLE BACK PLATE



TUBO - 5CCT
52502WTNAB



24" W x 3" H x 3.5" Ext
Black | **Natural Aged Brass** | Chrome | Satin Nickel
24W, 27-30-35-40-50K (1,700 Del.)



DEXTER
57942WTBK

24" W x 5.5" H x 3" Ext
Black | Natural Aged Brass | Satin Nickel
25W, 3000K (1,600lm Del.)



LATERAL
10283SWSN

20" W x 7.75" H x 5.25" Ext
Black | Satin Brass | **Satin Nickel**
60W Incandescent E26 Medium




FRAMED - LED MIRROR
E42094-BK

CUSTOM PROJECT MIRRORS

2 STRIP


- FRENCH CLEAT MIRROR INSTALL
- SPERATE CHASIS FOR LGIHT
- CUSTOM SIZES AVAILABLE ON REQUEST



2 STRIP



PERIMETER



PERIMETER



STYLE SELECTIONS



BEVEL

Brushed Black | Satin Nickel
58W, 3000-4000K (2,030lm Del.)



ELISSE

Black | **Gold** | Satin Nickel
36W, 3000K (860lm Del.)



FRAMED

Black | Gold | Satin Nickel
63W, 3000-4000-5000K (1,600lm Del.)






LUMINANCE
E42322-PC

LUMINANCE

- Dimmable to 10% using ELV Dimmer
- Easy to install Mirror Bracket
- Combinable to create wider mirror lengths
- Requires 4" outlet box with wall switch
- CRI 90+

MIRROR LINKS TOGETHER



LUMINANCE

POLISHED CHROME

38W LED, 3000K (3,100lm Del.)



INSTALL

STEP 1




STEP 2



STEP 3



COMBINE



(COMPATIBLE WITH ALL LUMINANCE FIXTURES)



SURF 52" CEILING FAN
88742WTBKGWD

CEILING FANS

INDOOR



QUATTRO W/ PULL CHAIN
88794SN



52" D x 15" H
Matte White | Black | Black / Walnut | **Satin Nickel**
18W, 3000K (1,000lm Del.)



FALCON W/ WALL CONTROL
88708WNBK



52" D x 16.25" H
Matte White | Black | **Black / Walnut** | Satin Nickel
18W, 3000K (945 lm Del.)

HUGGER



TANKER
88803BK



52" D x 10" H
Matte White | **Black** | Satin Nickel
12W, 3000K (840lm Del.)



AERIS
88314WTPC



52" D x 9" H
White | Satin Nickel **Polished Chrome**
18W, 3000K (1,050lm Del.)

OUTDOOR



CONDOR
88768AL



65" D x 13.75" H
Matte White | Black | Satin Nickel | **Aluminum**
AVAILABLE IN 84"



SEABORNE
88723BK



52" D x 15" H
Black
20W, 3000K (1,230lm Del.)

REMOTES





LINEAR LED WALL SCONCE
55538WTBZ

EXTERIOR SCONCES

CYLINDERS



CALIBRO LED



White | **Black** | Bronze
7W, 3000K (1,190lm Del.)



CALDERA LED



White | **Black**
10W, 3000K (990lm Del.)



STOUT LED



Black | White
20W, 3000K (2,101lm Del.)

PHOTOCELL & MOTION SENSOR



OUTPOST



Black | **Aluminum** | Bronze
40W Incandescent E26



BRIK



Black
7W, 3000K, (1,200lm Del.)



CONOID LED



Black | Aluminum
8W, 3000K (400lm Del.)



MICHELLE LED




Black | **White Black**
8W, 3000K (730lm Del.)



PATHFINDER LED



Black
15W, 3000K (820lm Del.)



GATEWAY LED



Black
9W, 3000K (440lm Del.)

HIGH LUMENS



HALFPIPE LED

55512WTAL



5" W x 15" H x 4" Ext
Black | **Brushed Aluminum**
18W, 27-30-35K (1,200lm Del.)



LINEAR LED

55538WTBZ



7" W x 10" H x 3.5" Ext
Bronze
15W, 3000K (1,145lm Del.)



TOWER LED

E30184-01BK



8" W x 18" H x 4" Ext
Black
18W, 3000K (1,270lm Del.)



TOVA PENDANT
11484BKGLD

RESOURCES



Damp Rated Fans are suitable for use in outdoor areas with covered ceilings such as patios or open walkways.



Wet Rated fans are approved for use outdoors that may experience direct contact with water.



Marine Grade fans built with ABS housing, canopy and blades, anti-corrosive components, a UV-rated powder-coated finish and a wet-location motor, backed by a five-year finish warranty even in harsh coastal environments.



Energy Star is a government-backed labeling program that helps people and organizations save money and reduce greenhouse gas emissions by identifying items that have superior energy efficiency.



Either toggle or remote based switch that allows the user to define between 3-5 fixed color temperatures with memory function.




ADA lighting refers to the guidelines and standards set forth by the Americans with Disabilities Act concerning the illumination of spaces to ensure they are accessible to individuals with disabilities

ACCESSORIES

LED CHANNEL



MSC8924V6P-WT
6 Port Hub



SWT898-2460WT
Dimmable Driver
& Switch

SLIM STICK



DHW898-2496BK
Hard Wire Driver




DRV898-2460BK
Plug-In Driver
(Non-Dimmable)



89822BK
12" On/Off switch



89830BK
Left 90° Connector



SWT898-2460WT
Dimmable Driver
& Switch



89833BK
SS Low Voltage
Splice Box



89835AL
In-Line Dimmer
Switch



89831BK
Right 90° Connector

LIGHTING GUIDE

MAXIM



ET2



COUNTERMAX



MIRRORS



CEILING FANS



EXTERIOR



FINISHES





VIEW OUR BUILDER CATALOG



MAXIMGROUPCO.COM