

MAXIM® LIGHTING | FANS



At Maxim, ceiling fans do more than just move air—they redefine your space with style, functionality, and innovation. Thoughtfully crafted to balance form and performance, our fans deliver powerful efficiency while enhancing your decor. From classic, conventional designs to cutting-edge Fandelights that combine stunning light fixtures with discreet, high-performance fans, Maxim offers options for every taste, need, and budget. With approachable pricing, we ensure our fans are as accessible as they are stylish. Our advanced control systems, featuring magnetic remotes, Wifi capabilities, and easy-install solutions, set us apart from the rest. With premium materials like solid wood blades, rattan accents, and trend-forward finishes, every detail is designed to elevate your space while keeping you comfortable year-round. Maxim Lighting fans are more than functional—they're a stylish and innovative choice that leaves a lasting impression.

TABLE OF CONTENTS

VISUAL INDEX	4
SURF	7
SEABORNE	9
SPARROW	11
DRIFTER	13
DRIFTER HUGGER	15
WOODWIND	17
WOODWIND HUGGER	19
VORTEX-INDOOR	21
VORTEX-OUTDOOR	23
ALBATROSS	25
CONDOR	27
KEANU	29
KEANU HUGGER	31
ULTRA SLIM	33
PETALS	35
DAISIES	37
DAISY	39
HELM	41
BOLA	43
CUPOLA	45
ODEON	47
SOLITAIRE	49
BODEGA BAY	51
SOLSTICE	53
CORONA	55
JEWEL	57
WEAVE	59
TULUM	61
PORTCULLIS	63
FALCON	65
FALCON DC	67
TANKER	69
TANKER DC	71
TANKER HUGGER	73
TRIO	75
QUATTRO	79
AERIS	81
LOWELL	83
SUPER-MAX	85
BASIC MAX-INDOOR	87
BASIC MAX-OUTDOOR	89
LIGHT KITS	90
FINISHES	91
DOWNRODS	92
FAN TIPS	93
CONTROLS	94
CONTROL CAPABILITY	96
RESOURCES	98
WARRANTY	99

VISUAL INDEX



SURF
PAGE: 07



SEABORNE
PAGE: 09



SPARROW
PAGE: 11



DRIFTER
PAGE: 13



DRIFTER HUGGER
PAGE: 15



WOODWIND
PAGE: 17



WOODWIND HUGGER
PAGE: 19



VORTEX-INDOOR
PAGE: 21



VORTEX-OUTDOOR
PAGE: 23



ALBATROSS
PAGE: 25



CONDOR
PAGE: 27



KEANU
PAGE: 29



KEANU HUGGER
PAGE: 31



ULTRA SLIM
PAGE: 33



PETALS
PAGE: 35



DAISIES
PAGE: 37



DAISY
PAGE: 39



HELM
PAGE: 41



BOLA
PAGE: 43



CUPOLA
PAGE: 45



ODEON
PAGE: 47



SOLITAIRE
PAGE: 49



BODEGA BAY
PAGE: 51



SOLSTICE
PAGE: 53



CORONA
PAGE: 55



JEWEL
PAGE: 57



WEAVE
PAGE: 59



TULUM
PAGE: 61



PORTCULLIS
PAGE: 63



FALCON
PAGE: 65



FALCON-DC
PAGE: 67



TANKER
PAGE: 69



TANKER-DC
PAGE: 71



TANKER HUGGER
PAGE: 73



TRIO
PAGE: 75-77



QUATTRO
PAGE: 79



AERIS
PAGE: 81



LOWELL
PAGE: 83



SUPER-MAX
PAGE: 85



BASIC MAX-INDOOR
PAGE: 87



BASIC MAX-OUTDOOR
PAGE: 89



ACCESSORIES
PAGE: 90-96



56" SURF

SURF | 88742

Inspired by the effortless motion of a board gliding across water, Surf brings coastal performance to a sleek, sculptural fan form. Two gracefully curved ABS blades extend from a sloped body, creating a clean silhouette with distinctive movement and balance. Designed for wet locations, the fan is built with marine-grade materials suited for demanding coastal applications. A DC motor provides efficient airflow, while the included hardwired 2-wire wall control manages fan speed, light dimming, and selectable 3000K, 4000K, or 5000K color temperature. Surf pairs modern design with outdoor durability.

Outdoor | DC Motor | Wet Rated | Marine Grade | ABS Blades | CCT Select



88742WTMW



88742WTMWWO



88742WTBKWN



88742WTSN



88742WTBKGWD



88742WTBK





FSWT88742WT
(Included)

88742

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
20W LED Integrated, 120V **COLOR TEMP:** 30-40-50K, **CRI** 90+ **LUMENS**: lm 800 DELIVERED	56" D x 13.75" H **BLADE**: 2 x 27.95"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	6155 CFM 152 CFM / W 35W	12" (FRDE10012) 18" (FRDE10018) 24" (FRDE10024) 36" (FRDE10036) 48" (FRDE10048) 60" (FRDE10060) 72" (FRDE10072)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK / GREYWOOD** (BKGWD)
- **MATTE WHITE / WHITE OAK** (MWWO)
- **MATTE WHITE** (MW)
- **SATIN NICKEL** (SN)
- **BLACK / WALNUT** (BKWN)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
6" Aluminum Downrods





LIGHT KIT COVER PLATE (INCLUDED)

52"

SEABORNE



SEABORNE | 88723

Seaborne is engineered to thrive where others can't. This marine-grade fan is crafted entirely from non-corrosive materials, including an ABS body, blades, and canopy, to resist salt air, moisture, and harsh climates. A fully integrated wet-location light kit adds functional illumination without sacrificing durability. Clean, modern lines make Seaborne the ideal solution for coastal patios, covered decks, and open-air living spaces where endurance meets elevated design.

Outdoor | DC Motor | Wet Rated | Marine Grade | ABS Blades



88723BK



88723MW



88723SN







FCT8881WT
(Included)

88723

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W PCB LED, 120V **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1230 DELIVERED	54" D x 15" H **BLADE**: 3 x 24.60"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5376 CFM 106 CFM / W 35W	12" (FRDE10012) 18" (FRDE10018) 24" (FRDE10024) 36" (FRDE10036) 48" (FRDE10048) 60" (FRDE10060) 72" (FRDE10072)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **MATTE WHITE** (MW)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 14°

Includes:
6" Aluminum Downrods



SATIN NICKEL W/ SATIN NICKEL BLADES



BLACK W/ BLACK BLADES

52" SPARROW



SPARROW | 88731

Inspired by the graceful motion of a sparrow in flight, Sparrow pairs sculptural form with dependable outdoor performance. Three gently curving ABS blades sweep from a compact DC motor housing, creating a light, aerodynamic silhouette with quiet visual movement. Wet-rated for outdoor applications, the fan includes an integrated light kit with an optional cover plate for a cleaner look when illumination is not needed. A hardwired 2-wire DC wall switch controls fan speed, reverse function, and lighting, making Sparrow both elegant and easy to live with.

Outdoor | DC Motor | Wet Rated | ABS Blades | CCT Select



88731WTBKWN



88731WTSN



88731WTBK



88731WTMW





FSWT88731WT
(Included)

88731

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
18W LED Integrated, 120V **COLOR TEMP:** 30-40-50K, **CRI** 90+ **LUMENS**: lm 800 DELIVERED	52" D x 14.25" H **BLADE**: 3 x 24.8"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	6089 CFM 189 CFM / W 35W	6" (FRD10006) 12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060) 72" (FRD10072)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK / WALNUT** (BKWN)
- **MATTE WHITE** (MW)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 16°

Includes:
6" Downrods



LIGHT KIT COVER PLATE (INCLUDED)





52" DRIFTER

DRIFTER | 88772

Drifter captures the warmth of carved wood in a durable, wet-rated fan designed for outdoor living. Its 52" ABS blades feature sculptural depth and a graceful curve, bringing the character of solid wood with the resilience needed for patios, covered decks, and coastal-inspired spaces. Offered in both downrod and hugger configurations, the design adapts easily to different ceiling heights. An included light kit with cover plate adds flexibility, while the 2-wire DC wall control manages fan speed, dimming, and color temperature selection from 3000K, 4000K, or 5000K.

Outdoor | DC Motor | Wet Rated | ABS Blades | CCT Select







FSWT88772WT
(Included)

88772

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
18W LED Integrated, 120V **COLOR TEMP:** 30-40-50K, **CRI** 90+ **LUMENS**: lm 800 DELIVERED	52" D x 13" H **BLADE**: 3 x 25.9"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4659 CFM 143 CFM / W 45W	6" (FRD10006) 12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060) 72" (FRD10072)

Includes:
6" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK / DRIFTWOOD** (BKDW)
- **CHARCOAL / GREYWOOD** (CHLGWD)
- **MATTE WHITE** (MW)

BLADES

MATERIAL: ABS
PITCH: 14°


CHARCOAL W/ GREYWOOD BLADES



DRIFTER HUGGER

52"



DRIFTER HUGGER | 88771

Drifter captures the warmth of carved wood in a durable, wet-rated fan designed for outdoor living. Its 52" ABS blades feature sculptural depth and a graceful curve, bringing the character of solid wood with the resilience needed for patios, covered decks, and coastal-inspired spaces. Offered in both downrod and hugger configurations, the design adapts easily to different ceiling heights. An included light kit with cover plate adds flexibility, while the 2-wire DC wall control manages fan speed, dimming, and color temperature selection from 3000K, 4000K, or 5000K.

Outdoor | DC Motor | Wet Rated | ABS Blades | CCT Select



88771WTBKDW



88771WTBK



88771WTMW



88771WTCHLGWD





FSWT88771WT
(Included)

88771

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED
18W LED Integrated, 120V **COLOR TEMP:** 30-40-50K, **CRI** 90+ **LUMENS**: lm 900 DELIVERED	52" D x 10" H **BLADES**: 3 x 25.9"	**AIRFLOW:** 4659 CFM **AIRFLOW EFFICIENCY** 143 CFM / W **ELECTRICITY USE:** 45W

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK / DRIFTWOOD** (BKDW)
- **CHARCOAL / GREYWOOD** (CHLGWD)
- **MATTE WHITE** (MW)

BLADES

MATERIAL: ABS
PITCH: 14°



CHARCOAL W/ GREYWOOD BLADES



WOODWIND

52"|72"|80"



WOODWIND | 88831 | 88833 | 88834

Solid Wood blades curve as they rotate around a center housing with LED light kit included. An additional cover plate is included if the light kit is not used. Select from stylish finish combinations including Natural Aged Brass with White Wood, Satin Nickel with Greywood, Black with Walnut wood, or Charcoal Bronze with Distressed Wood.

Indoor | DC Motor | CCT Select | Solid Wood Blades



88831BK
52" Fan



88834WTBKGWD
80" Fan



88833NAB
72" Fan



88834CHL
80" Fan







FCT888_WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88831	18W PCB LED **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 1000 DELIVERED	52" D x 14.5" H **BLADE**: 3 x 25.5"	**AIRFLOW:** 5039 CFM **AIRFLOW EFFICIENCY:** 172 CFM / W **ELECTRICITY USE:** 11W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060*) 72" (FRD10072*) Only available in Powder Coat finishes *NAB finish NOT available in 60" and 72"
88833	18W PCB LED **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 975 DELIVERED	72" D x 14.5" H **BLADE**: 3 x 35.5"	**AIRFLOW:** 7199 CFM **AIRFLOW EFFICIENCY:** 239 CFM / W **ELECTRICITY USE:** 23W	
88834	18W PCB LED **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 975 DELIVERED	80" D x 14.5" H **BLADE**: 3 x 39.5"	**AIRFLOW:** 6993 CFM **AIRFLOW EFFICIENCY:** 304 CFM / W **ELECTRICITY USE:** 18W	

Includes:
6" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **SATIN NICKEL** (SN)
- **BLACK / WALNUT** (BKWN)
- **SATIN NICKEL / WEATHERED WHITE** (SNWWT)
- **WHITE / NATURAL AGED BRASS / WEATHERED WHITE** (WTNABWWT)
- **NATURAL AGED BRASS** (NAB)
- **CHARCOAL** (CHL)
- **WHITE / BLACK GREYWOOD** (WTBKGWD)

BLADES

MATERIAL: SOLID WOOD
PITCH: 13.4°



LIGHT KIT COVER PLATE (INCLUDED)



SATIN NICKEL W/ GREYWOOD BLADES

52"|72"|80"

WOODWIND HUGGER



WOODWIND HUGGER | 88830

Solid Wood blades curve as they rotate around a center housing with LED light kit included. An additional cover plate is included if the light kit is not used. Select from stylish finish combinations including Natural Aged Brass with White Wood, Satin Nickel with Greywood, Black with Walnut wood, or Charcoal Bronze with DriftWood.

Indoor | DC Motor | CCT Select | Solid Wood Blades



88830WTCHL
52" Fan



88830WTNABWWT
52" Fan



88830WTBKGWD
52" Fan



88830WTSN
52" Fan



88830WTBK
52" Fan







FCT88830WT
(Included)

88830

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED
18W LED Integrated **COLOR TEMP:** 27-30-40K, **CRI:** 80+ **LUMENS:** lm 850 DELIVERED	52" D x 10.5" H **BLADE**: 3 x 25.5"	**AIRFLOW:** 5039 CFM **AIRFLOW EFFICIENCY** 172 CFM / W **ELECTRICITY USE:** 11W

COMPLETE FINISH AND BLADE OPTIONS:

- **CHARCOAL / DRIFTWOOD** (WTCHL)
- **SATIN NICKEL / WEATHERED WHITE** (SNWWT)
- **WHITE / NATURAL AGED BRASS / WEATHERED WHITE** (WTNABWWT)
- **SATIN NICKEL / GREYWOOD** (WTSN)
- **BLACK / WALNUT** (WTBK)
- **BLACK /GREYWOOD** (WTBKGWD)

BLADES

MATERIAL: SOLID WOOD
PITCH: 12°



SATIN NICKEL W/ GREYWOOD BLADES



CHARCOAL W/ DRIFTWOOD BLADES

VORTEX – INDOOR

52" | 60"



VORTEX – INDOOR | 88836 | 88837 | 88839

Sharp angular blades come together at the center housing of this fan for a modern, yet transitional look. Available in finishes to match most interior spaces, select from Matte Black, Dark Satin Nickel with Greywood blades, Natural Aged Brass with White Blades or from the Wet Rated models in Matte Black and Charcoal with Driftwood Blades. The fan's DC motor is operated by a remote that comes with a magnetic wall mount and can control the color temperature of the light kit.

Indoor | DC Motor | CCT Select | ABS Blades



88836DSN
52" Fan



88837WTNAB
52" Fan



88839WTDSN
60" Fan







FCT888_WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88836	NO LIGHT KIT	52" D x 12.25" H **BLADE**: 3 x 27.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4543 CFM 219 CFM / W 15W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060*) 72" (FRD10072*)
88837	18W LED Integrated **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 975 DELIVERED	52" D x 13.75" H **BLADE**: 3 x 27.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4543 CFM 219 CFM / W 15W	
88839	18W LED Integrated **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 975 DELIVERED	60" D x 13.75" H **BLADE**: 3 x 31.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5184 CFM 244 CFM / W 17W	Only available in Powder Coat finishes *NAB finish NOT available in 60" and 72"

Includes:
6" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **DARK SATIN NICKEL** (DSN)
- **NATURAL AGED BRASS** (NAB)
- **WHITE / DARK SATIN NICKEL** (WTDSN)
- **WHITE / NATURAL AGED BRASS** (WTNAB)

BLADES

MATERIAL: ABS
PITCH: 12°



DARK SATIN NICKEL W/ GREYWOOD BLADES



NATURAL AGED BRASS W/ WHITE WOOD BLADES

52"|60"

VORTEX-OUTDOOR



VORTEX – OUTDOOR | 88846 | 88847 | 88849

Sharp angular blades come together at the center housing of this fan for a modern, yet transitional look. Available in outdoor rated powder coat finishes, select from Matte Black or Charcoal with Driftwood Blades. The fan's DC motor is operated by a remote that comes with a magnetic wall mount and can control the color temperature of the light kit.

Indoor/Outdoor | DC Motor | CCT Select | Wet Rated | ABS Blades



88846CHL
52" Fan

88847WTBK
52" Fan

88849WTCHL
60" Fan







FCT888_WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88846	NO LIGHT KIT	52" D x 12.25" H **BLADE**: 3 x 27.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4543 CFM 219 CFM / W 15W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060*) 72" (FRD10072*) *Only available in Powder Coat finishes
88847	18W PCB LED Integrated **COLOR TEMP:** 27-30-40K, **CRI:** 80+ **LUMENS:** Im 810 DELIVERED	52" D x 13.75" H **BLADE**: 3 x 27.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4543 CFM 219 CFM / W 15W	
88849	18W LED Integrated **COLOR TEMP:** 27-30-40K, **CRI:** 80+ **LUMENS:** Im 810 DELIVERED	60" D x 13.75" H **BLADE**: 3 x 31.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5184 CFM 219 CFM / W 15W	

Includes:
6" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **WHITE / BLACK** (WTBK)
- **WHITE / CHARCOAL** (WTDSN)
- **BLACK** (BK)
- **CHARCOAL** (CHL)

BLADES

MATERIAL: ABS
PITCH: 12°


CHARCOAL W/ DRIFTWOOD BLADES


BLACK W/ BLACK BLADES

72"

ALBATROSS



ALBATROSS | 88366 | 88367

Engineered for coastal living, Albatross delivers large-scale airflow with marine-grade durability. Its expansive 72” blade span and six-blade design create a commanding presence while providing steady performance for covered outdoor spaces. Constructed from materials designed to withstand harsh environments, the fan is ideal for patios, verandas, and homes near the coast. Available in Matte Black or Matte White, with or without an integrated light kit, Albatross offers a clean, versatile solution where strength, scale, and outdoor reliability matter.

Outdoor | DC Motor | Wet Rated | Marine Grade | ABS Blades | CCT Select



88366WTBK
(No Light Kit)



88367WTMW





FSWT883_WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88366	NO LIGHT KIT	72” D x 12.5” H **BLADES**: 6 x 33.5”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	10,981 CFM 220 CFM / W 33W	12” (FRDE10012) 18” (FRDE10018) 24” (FRDE10024) 36” (FRDE10036) 48” (FRDE10048) 60” (FRDE10060) 72” (FRDE10072)
88367	24W LED Integrated, 120V **COLOR TEMP:** 2700-6000K, **CRI** 90+ **LUMENS**: lm 1400 DELIVERED	72” D x 13” H **BLADE**: 6 x 33.5”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	10,981 CFM 220 CFM / W 33W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **MATTE WHITE** (MW)

BLADES

MATERIAL: ABS
PITCH: 12.5°

Includes:
6” Aluminum Downrods





CONDOR

65" | 84"



CONDOR | 88766 | 88767 | 88768

Expansive blade spans of 65" ABS blades or 84" aluminum blades, the Condor soars as an outdoor rated fan. Clean design with a DC motor and strong airflow performance. Available in Matte Black, Matte White, or Brushed Aluminum. No light kit included. Paired with a DC wall control that does not get interrupted by various frequencies and uses novel 3-wire installations to provide reliable functionality.

Indoor/Outdoor | DC Motor | 65" ABS Blades/84" Aluminum Blades | Wet Rated



88768BK
84" Fan



88766MW
65" Fan



88767WTBK
65" Fan





FSWT887_WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88766	NO LIGHT KIT	65" D x 13.5" H **BLADE**: 8 x 29.65"	**AIRFLOW:** 8792 CFM **AIRFLOW EFFICIENCY** 194 CFM / W **ELECTRICITY USE:** 33W	6" (FRD10006) 12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060) 72" (FRD10072)
88767	24W LED Integrated, 120V **COLOR TEMP:** 30-40-50K, **CRI:** 90+ **LUMENS:** lm 800 DELIVERED	65" D x 14.5" H **BLADE**: 8 x 29.65"	**AIRFLOW:** 8792 CFM **AIRFLOW EFFICIENCY** 194 CFM / W **ELECTRICITY USE:** 33W	**Includes:** 6" Downrods
88768	NO LIGHT KIT	84" D x 14" H **BLADE**: 8 x 37.6"	**AIRFLOW:** 11,225 CFM **AIRFLOW EFFICIENCY** 307 CFM / W **ELECTRICITY USE:** 30.3W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **SATIN NICKEL** (SN)
- **MATTE WHITE** (MW)
- **WHITE / BLACK** (WTBK)
- **ALUMINUM** (AL)

BLADES:

MATERIAL: ABS OR ALUMINUM
PITCH: 18°







56" KEANU

KEANU | 88754 | 88755

Inspired by the effortless rhythm of a gentle breeze, the Keanu fan brings both form and function to indoor and outdoor spaces. Its graceful curve appears like carved wood but it is made of ABS blades designed for durability in Wet Location applications. The energy-efficient DC motor ensures quiet, powerful performance. Offering versatility for any setting, the Keanu is available as a close-to-ceiling hugger or with down rod options, with or without an integrated, CCT-tunable light kit. The LED is adjustable from a warm 2700K to bright 5000K. Choose from Matte White, Matte Black, or Satin Nickel finishes, with Teak wood blade options for Matte White and Walnut wood blades for Matte Black. Complete with a DC wall control, the Keanu delivers a refreshing blend of modern design and year-round comfort.

Indoor/Outdoor | DC Motor | Wet Rated | CCT Select | ABS Blades



88754BK
(No Light Kit)



88754MW
(No Light Kit)



88755WTBKWN



88755WTMWTK





FCT887_WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88754	NO LIGHT KIT	56" D x 12.75" H **BLADE**: 3 x 28"	**AIRFLOW:** 6284 CFM **AIRFLOW EFFICIENCY** 219 CFM / W **ELECTRICITY USE:** 15W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060*) 72" (FRD10072*) *Only available in Powder Coat finishes
88755	18W PCB LED Integrated **COLOR TEMP:** 30-40-50K, **CRI:** 80+ **LUMENS:** lm 1150 DELIVERED	56" D x 14" H **BLADE**: 3 x 26.4"	**AIRFLOW:** 5468 CFM **AIRFLOW EFFICIENCY** 161 CFM / W **ELECTRICITY USE:** 25W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **MATTE WHITE** (MW)
- **BLACK/WALNUT** (BKWN)
- **MATTE WHITE/TEAK** (MWTK)

BLADES

MATERIAL: ABS
PITCH: 36°

Includes:
6" Downrods



BLACK W/ WALNUT BLADES



BLACK W/ BLACK BLADES

56"

KEANU HUGGER



KEANU HUGGER | 88753

Inspired by the effortless rhythm of a gentle breeze, the Keanu fan brings both form and function to indoor and outdoor spaces. Its graceful curve appears like carved wood but it is made of ABS blades designed for durability in Wet Location applications. The energy-efficient DC motor ensures quiet, powerful performance. Offering versatility for any setting, the Keanu is available as a close-to-ceiling hugger or with down rod options, with or without an integrated, CCT-tunable light kit. The LED is adjustable from a warm 2700K to bright 5000K. Choose from Matte White, Matte Black, or Satin Nickel finishes, with Teak wood blade options for Matte White and Walnut wood blades for Matte Black. Complete with a DC wall control, the Keanu delivers a refreshing blend of modern design and year-round comfort.

Indoor/Outdoor | DC Motor | Wet Rated | ABS Blades



88753BKWN
(No Light Kit)



88753MWTK
(No Light Kit)



88753BK
(No Light Kit)

88753MW
(No Light Kit)





FCT88753WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	
88753	NO LIGHT KIT	56” D x 12.75” H **BLADE**: 3 x 27.75”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	6284 CFM 219 CFM / W 15W

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK/WALNUT** (BKWN)
- **MATTE WHITE** (MW)
- **MATTE WHITE/TEAK** (MWTK)

BLADES

MATERIAL: ABS
PITCH: 36°



BLACK W/ WALNUT BLADES



BLACK W/ BLACK BLADES

52" ULTRA SLIM



ULTRA SLIM | 88807

With its small profile housing and elegant blade shape, the Ultra Slim provides an upgrade to indoor/outdoor fan options. Available in 3 different finishes: White, Nickel, and Matte Black

Indoor/Outdoor | AC Motor | Damp Rated | ABS Blades



88807SN



88807MW



88807BK





FCT88805WT
(Included)

88807

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
NO LIGHT KIT	52” D x 11” H **BLADE**: 3 x 23.75”	**AIRFLOW:** 3517 CFM **AIRFLOW EFFICIENCY** 89 CFM / W **ELECTRICITY USE:** 29W	12” (FRD12) 18” (FRD18) 24” (FRD24) 36” (FRD36) 48” (FRD48) 60” (FRD60) 72” (FRD72)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **MATTE WHITE** (MW)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 10°

Includes:
4” Downrods





60" PETALS



PETALS | 88326

Inspired by the soft geometry of flower petals, Petals brings sculptural movement and graceful airflow to modern interiors. Six ABS blades extend from a refined center housing in a generous 60" span, creating a floral silhouette that feels elegant, balanced, and quietly expressive. A DC motor delivers efficient performance, while the included light kit and cover plate allow the design to be installed with or without illumination. Offered in Natural Aged Brass with White blades, Black with Gold housing and Black down rods, or Satin Nickel with White blades, Petals pairs decorative beauty with everyday function.

Indoor | DC Motor | ABS Blades | CCT Select



88326BKGLD



88326WTNAB



88326SN





FSWT88326WT
(Included)

88326

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
18W LED Integrated, 120V **COLOR TEMP:** 2700-6000K, **CRI** 90+ **LUMENS**: lm 1050 DELIVERED	60" D x 17" H **BLADE**: 6 x 28.34"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	9350 CFM 187 CFM / W 33W	6" (FRD10006) 12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060)* 72" (FRD10072)* Only available in Powder Coat finishes *NAB finish NOT available in 60" and 72"

Includes:
6" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / GOLD** (BKGLD)
- **NATURAL AGED BRASS** (NAB)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 13°



LIGHT KIT COVER PLATE (INCLUDED)



SATIN NICKEL W/ WHITE BLADES

DAISIES

60"



DAISIES | 88828

Sharing the same soft, floral design language, Daisies brings approachable style and reliable performance to everyday spaces. Five gently shaped plywood blades create a light, petal-like silhouette, with reversible Black and White finishes for easy coordination across interiors. An AC motor provides familiar functionality, while the included 3-wire wall control operates fan speed and light dimming from a single convenient location. Simple, versatile, and thoughtfully designed, Daisies offers a decorative fan solution with broad appeal and practical value.

Indoor | AC Motor | Plywood Blades | Reversible Blades







FCT8881WT
(Included)

88828

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W LED Integrated, 120V **COLOR TEMP:** 3000K, **CRI** 90+ **LUMENS**: lm 1400 DELIVERED	60" D x 17" H **BLADE**: 5 x 26.57"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5786 CFM 88 CFM / W 41W	6" (FRD10006) 12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060)* 72" (FRD10072)* Only available in Powder Coat finishes *NAB finish NOT available in 60" and 72"

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / GOLD** (BKGLD)
- **NATURAL AGED BRASS** (NAB)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: PLYWOOD
PITCH: 12°

Includes:
6" Downrods





LIGHT KIT COVER PLATE (INCLUDED)

60" DAISY



DAISY | 88826

For larger spaces, a larger blade sweep is sometimes required. This minimalist design is pure and simple. Elongated plywood blades span 60 inches and finished in Matte White contrasting the motor housing's Natural Aged Brass finish. The two tone finish makes for a stylish and bright fan great for interior spaces. Wall control with dual slide dimmer and fan speed control is provided.

Indoor | AC Motor | Plywood Blades | Reversible Blades



88826SN



88826WTNAB
Light Kit Cover Plate (Included)



88826BKGLD





FCT8881WT
(Included)

88826

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
12W LED Integrated **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 950 DELIVERED	60" D x 23" H **BLADE**: 5 x 26.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5542 CFM 88 CFM / W 41W	6" (FRD06) 12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72) Only available in Powder Coat finishes

COMPLETE FINISH AND BLADE OPTIONS:

- **WHITE / NATURAL AGED BRASS** (WTNAB)
- **BLACK / GOLD** (BKGLD)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: PLYWOOD
PITCH: 12°

Includes:
6" Downrods


LIGHT KIT COVER PLATE (INCLUDED)


BLACK AND GOLD W/ BLACK BLADES



72" HELM

HELM | 88878

Inspired by the steering wheel of a nautical ship, the Helm fan boasts an impressive 72” blade span and stylish two-tone finishes. Its plywood blades offer dual-sided contrasting finishes, allowing for customizable design. Choose from a Black frame with Natural Aged Brass accents paired with Black and White blades, or a Satin Nickel frame with White and Blackened Walnut blades. The energy-efficient DC motor is operated by a convenient remote control, which magnetically attaches to a standard wall plate. The integrated LED light kit features tunable color temperature, adjustable from warm 2700K to bright 4000K, offering versatile lighting options for any space.

Indoor | DC Motor | CCT Select | Plywood Blades | Reversible Blades

(BK) (WT)



REVERSIBLE BLADES



88878BKNAB

(SV) (WN)



REVERSIBLE BLADES



88878WTSN







FCT88878WT
(Included)

88878

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W PCB LED, 120V **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 1180 DELIVERED	72” D x 20.75” H **BLADE**: 8 x 28.25”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	8343 CFM 255 CFM / W 26W	12” (FRD10012) 18” (FRD10018) 24” (FRD10024) 36” (FRD10036) 48” (FRD10048) 60” (FRD10060*) 72” (FRD10072*) Only available in Powder Coat finishes *NAB finish NOT available in 60” and 72”

Includes:
8” Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / NATURAL AGED BRASS** (BKNAB)
- **WHITE / SATIN NICKEL** (WTSN)

BLADES

MATERIAL: PLYWOOD
PITCH: 13°



BLACK & NATURAL AGED BRASS W/ WHITE BLADES



SATIN NICKEL W/ BLACKENED WALNUT BLADES

52"

BOLA



BOLA | 88811

Modern and chic, the Bola collection elevates the standard fan with its beautifully balanced design. A sleek globe frame seamlessly separates the top DC motor housing from the lower LED light kit, while gracefully curved solid wood blades add a touch of natural sophistication. The energy-efficient DC motor ensures quiet operation, while the included remote control allows you to customize the CCT-tunable LED light, from warm to bright, for the perfect ambiance. Available in 52" blade span and finishes in Matte White, Matte Black, Satin Nickel with white wood blades, or Natural Aged Brass with white wood blades. Suitable for dry locations, Bola merges form and function with effortless charm.

Indoor | DC Motor | Solid Wood Blades



88811WNBK



88811NAB



88811BK



88811WT



88811SN







FCT88811WT
(Included)

88811

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W PCB LED, 120V **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 1270 DELIVERED	52" D x 16.25" H **BLADE**: 4 x 28.25"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4953 CFM 261 CFM / W 14W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036) 48" (FRD10048) 60" (FRD10060*) 72" (FRD10072*) Only available in Powder Coat finishes *NAB finish NOT available in 60" and 72"

Includes:
6" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **WHITE** (WT)
- **SATIN NICKEL** (SN)
- **NATURAL AGED BRASS** (NAB)
- **MATTE BLACK / WALNUT** (WNBK)

BLADES

MATERIAL: SOLID WOOD
PITCH: 12°



BLACK W/ BLACK BLADES



NATURAL AGED BRASS W/ WHITE BLADES

52" CUPOLA



CUPOLA | 88801

The central housing is domical, from which a trio of uniquely curved fan blades smoothly rotate. The Cupola features an LED integrated dome shape and three distinct finish pairings; oil rubbed bronze with walnut blades, satin nickel with silver blades, and black with black blades.

Indoor | AC Motor | ABS Blades



88801OI



88801SN



88801BK





FCT88801WT
(Included)



FCT8881WT
(Optional)

88801

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W LED E26, 120V **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1640 DELIVERED	52" D x 12.5" H **BLADE**: 3 x 23"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	3949 CFM 73 CFM / W 38W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **SATIN NICKEL / SILVER** (SN)
- **OIL RUBBED BRONZE / WALNUT** (OI)

BLADES

MATERIAL: ABS
PITCH: 26°

Includes:
6" Downrods



SATIN NICKEL W/ SILVER BLADES



OIL RUBBED BRONZE W/ WALNUT BLADES



ODEON

32.75"

ODEON | 61018

Evoke glitz and glitter with the glamorous stylings of the Odeon collection. Beveled crystals meet a swooping lavish metal frame. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wifi-Enabled | Dimmable



61018GS





FCT6000WT
(Included)

61018

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
8 x 4W E12 LED CLEAR B11 **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1800 DELIVERED	32.75" D x 22.75" H **BLADE**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	2414 CFM 80 CFM / W 19W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **GOLDEN SILVER** (GS)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
8" Downrods





SOLITAIRE

30.75"



SOLITAIRE | 61013

This romantic Chandelier with Fan delivers luxury appeal and timeless sophistication. The Solitaire features curved arms that lift a crown of six candle-style lamps. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wifi-Enabled | Dimmable



61013SM





FCT6000WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
61013	6 x 4W E12 LED CLEAR B11 **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1800 DELIVERED	30.75" D x 20" H **BLADE**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	2401 CFM 75 CFM / W 21W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

COMPLETE FINISH AND BLADE OPTIONS:

SILVER MIST (SM)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
8" Downrods





36"

BODEGA BAY



BODEGA BAY | 61004

Rings of Ash Wood are distressed and then finished In Antique Pecan for that old world feel. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wifi-Enabled | Dimmable



61004APAR





FCT6000WT
(Included)

61004

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
8 x 4W E12 LED FROSTED B11 **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 2380 DELIVERED	36" D x 26" H **BLADE**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	1953 CFM 62 CFM / W 20W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

COMPLETE FINISH AND BLADE OPTIONS:

ANTIQUE PECAN / ANTHRACITE (APAR)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
8" Downrods






33.5"
SOLSTICE

SOLSTICE | 61005 | 61006

The Solstice Chandelier with Fan houses three innovatively curved fan blades within a cage of artfully bent Satin Nickel channel to create a classic form in light. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wi-Fi Enabled | White Tunable | Dimmable



61006BK



61005SN





FCT6100WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
61005	60W LED Integrated, White Tunable **COLOR TEMP:** 2700-4000K, 90 CRI **LUMENS:** . 4320 lm DELIVERED	33.5" D x 23.75" H **BLADE**: 3 x 22"	**AIRFLOW:** 4242 CFM **AIRFLOW EFFICIENCY** 152 CFM / W **ELECTRICITY USE:** 29W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)
61006	60W LED Integrated, White Tunable **COLOR TEMP:** 2700-4000K, **CRI:** 90+ **LUMENS:** lm 4320 DELIVERED	35.5" D x 23.75" H **BLADE**: 3 x 10.6"	**AIRFLOW:** 2600 CFM **AIRFLOW EFFICIENCY** 130 CFM / W **ELECTRICITY USE:** 20W	

Includes:
8" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **SATIN NICKEL** (SN)
- **BLACK** (BK)

BLADES

MATERIAL: ABS
PITCH: 30°







CORONA

27.5"

CORONA | 61001 | 61002

Minimalistic frames finished in your choice of Oil Rubbed Bronze or Polished Chrome support cylinders of Frost glass shades. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wi-Fi Enabled | White Tunable | Dimmable



61001BK



61002SN





FCT6100WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
61001	30W PCB LED **COLOR TEMP:** 2700-4000K, **CRI:** 80+ **LUMENS:** lm 2220 DELIVERED	27.5" D x 20" H **BLADE**: 3 x 21.75"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4242 CFM 152 CFM / W 29W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)
61002	30W PCB LED, 120V **COLOR TEMP:** 2700-4000K, **CRI:** 80+ **LUMENS:** lm 2220 DELIVERED	27.5" D x 20" H **BLADE**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	2600 CFM 130 CFM / W 20W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 21°

Includes:
6" Downrods





33″

JEWEL



JEWEL | 61019

An elegant fusion of function and fashion, this contemporary Fandelight features a bold Black band segmented by highly reflective plated Gold crystal settings. Beveled crystal accents rest on jewel-inspired prongs, set at a fixed distance from the fixture. This spacing enhances the crystals' iridescence, allowing natural and ambient light to glisten off their faceted surfaces. Encircled within is an internal ring in Black that houses an LED light source directing ample light downward.

Indoor | DC Motor | ABS Blades | Wi-Fi Enabled | White Tunable | Dimmable



61019BCBKGLD





FCT6100WT
(Included)

61019

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
30W PCB LED **COLOR TEMP:** 2700-4000K, **CRI:** 90+ **LUMENS:** lm 2220 DELIVERED	33" D x 23" H **BLADES**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	2443 CFM 78 CFM / W 20W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

COMPLETE FINISH AND BLADE OPTIONS:

BLACK / GOLD (BKGLD)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
15" Downrods





33" WEAVE



WEAVE | 61010

Bands of metal are woven on a frame and finished in Bronzed Gilt on the outside and a contrasting Gold Leaf finish on the inside. Built in Wi-Fi allows you to control your fan speed from your favorite device.

Indoor | DC Motor | ABS Blades | Wi-Fi Enabled | White Tunable | Dimmable



61010BZGTGLD





FCT6000WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
61010	40W PCB LED **COLOR TEMP:** 3000K, **CRI:** 80+ **LUMENS:** lm 2700 DELIVERED	33" D x 18.5" H **BLADE**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	2455 CFM 122 CFM / W 22W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)

COMPLETE FINISH AND BLADE OPTIONS:

BRONZE GILT / GOLD (BZGTGLD)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
8" Downrods





TULUM

28"|36"



TULUM | 61012 | 61014

Natural Rattan wicker forms a sloping drum shade with integrated fan and LED light source. The Dark Bronze finish of the metalwork encases an LED ring at the bottom directing light downward. Finished in outdoor coatings for the rattan and the metalwork, this Fandelight is designed for covered outdoor spaces. Add coastal flair and find some respite under the breeze flowing from the Fandelight by Maxim. Not suitable for harsh climates or coastal applications.

Indoor | DC Motor | Damp Rated | ABS Blades | White Tunable | Dimmable



61012NADBZ
28"



61014NADBZ
36"





FCT6100WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
61012	30W PCB LED, 120V **COLOR TEMP:** 2700-4000K, **CRI:** 90+ **LUMENS:** lm 2220 DELIVERED	28" D x 18.5" H **BLADE**: 3 x 10.6"	**AIRFLOW:** 2512 CFM **AIRFLOW EFFICIENCY** 72 CFM / W **ELECTRICITY USE:** 18W	12" (FRD0112) 18" (FRD0118) 24" (FRD0124) 30" (FRD0130) 36" (FRD0136)
61014	35W PCB LED, 120V **COLOR TEMP:** 2700-4000K, **CRI:** 90+ **LUMENS:** lm 2500 DELIVERED	35.75" D x 19.75" H **BLADE**: 3 x 13.55"	**AIRFLOW:** 2639 CFM **AIRFLOW EFFICIENCY** 97 CFM / W **ELECTRICITY USE:** 19W	

COMPLETE FINISH AND BLADE OPTIONS:

NATURAL /
DARK BRONZE (NADBZ)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
8" Downrods





32.75"

PORTCULLIS



PORTCULLIS | 61016

Not just a fan, the Portcullis FanDelight is framed within a woven metal grate pattern in a rich Bronze Gilt finish. The interior gold finish adds warmth to the candelabras that are shielded with a curved reflector backplate not to be disrupted by the circulating fan blades behind it. With a full range of fan control and Wifi-enabled, this fixture is not only attractive, but full of functional features.

Indoor | DC Motor | Damp Rated | ABS Blades | Wi-Fi Enabled | Dimmable



61016BZGT





FCT6000WT
(Included)

61016

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W E12 FROSTED B11 **COLOR TEMP:** 3000K, **CRI:** 80+ **LUMENS:** lm 1400 DELIVERED	32.75" D x 18" H **BLADE**: 3 x 10.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	2208 CFM 73 CFM / W 20W	18" (FRD0118) 24" (FRD0124) 36" (FRD0136)

COMPLETE FINISH AND BLADE OPTIONS:

BRONZE GILT (BZGT)

BLADES

MATERIAL: ABS
PITCH: 30°

Includes:
6" Downrods







52" FALCON

FALCON | 88707 | 88708

The Falcon ceiling fan combines sleek, modern style with versatility. Damp-rated for indoor or covered outdoor use, it features a 3CCT LED light with adjustable color temperatures and an optional cover plate. The included wall control allows separate adjustments for fan speed and light brightness (3-wire installation required). Optional extension rods are available for customized height. Stylish and functional, the Falcon is perfect for any space.

Indoor/Outdoor | AC Motor | Damp Rated | ABS Blades | Pull Chain Option



88708MW



88707SN
(Pull Chain Options)



88708BK



88707BKWN
(Pull Chain Options)





FCT8881WT
(Included W/ 88708)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88707	18W PCB LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 945 DELIVERED	52” D x 16.25” H **BLADE**: 3 x 24.8”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5100 CFM 119 CFM / W 28W	12” (FRD10012) 18” (FRD10018) 24” (FRD10024) 36” (FRD10036*) 48” (FRD10048*) 60” (FRD10060*) 72” (FRD10072*) *Only available in Powder Coat finishes
88708	18W PCB LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 945 DELIVERED	52” D x 16.25” H **BLADE**: 3 x 24.8”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5100 CFM 119 CFM / W 28W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK / WALNUT** (WNBK)
- **SATIN NICKEL** (SN)
- **MATTE WHITE** (MW)

BLADES

MATERIAL: ABS
PITCH: 18°

Includes:
6” Downrods



BLACK W/ WALNUT BLADES



SATIN NICKEL W/ PULL CHAIN

52" FALCON-DC



FALCON-DC | 88717

The Falcon ceiling fan combines sleek, modern style with versatility. Wet-rated for indoor or outdoor use, it features a 3CCT LED light with adjustable color temperatures and an optional cover plate. The included wall control allows separate adjustments for fan speed and light brightness (2-wire installation required). Optional extension rods are available for customized height. Stylish and functional, the Falcon is perfect for any space.

Indoor/Outdoor | DC Motor | Wet Rated | ABS Blades | Pull Chain Option



88717BK



88717BKWN



88717MW



88717SN





FCT88717WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88717	18W PCB LED **COLOR TEMP:** 27-30-40K, **CRI:** 90+ **LUMENS:** lm 945 DELIVERED	52” D x 16.25” H **BLADE**: 3 x 24.8”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	5268 CFM 161 CFM / W 25W	12” (FRD10012) 18” (FRD10018) 24” (FRD10024) 36” (FRD10036*) 48” (FRD10048*) 60” (FRD10060*) 72” (FRD10072*) *Only available in Powder Coat finishes

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **BLACK / WALNUT** (WNBK)
- **SATIN NICKEL** (SN)
- **MATTE WHITE** (MW)

BLADES

MATERIAL: ABS
PITCH: 18°

Includes:
6” Downrods



WHITE W/ WHITE BLADES



BLACK W/ WALNUT BLADES



52" TANKER

TANKER | 88805 | 88806

Clean and contemporary, the Tanker ceiling fan is damp rated so whether it is a covered outdoor living space or any room indoor this sleek fan suits the application. Additional extension rods may be purchased to acquire the desired length. Available with and without light kit.

Indoor/Outdoor | AC Motor | Damp Rated | ABS Blades



88805BK
(No Light Kit)



88806BK



88806BK



88805BK
(No Light Kit)





FCT88805WT
(Included w/ 88805)



FCT88801WT
(Included w/ 88806)



FCT8881WT
*Sold Separately for 88806

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88805	NO LIGHT KIT	52" D x 14.5" H **BLADE**: 3 x 23.11"	**AIRFLOW:** 3405 CFM **AIRFLOW EFFICIENCY** 90 CFM / W **ELECTRICITY USE:** 29W	6" (FRD06) 12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)
88806	24W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1680 DELIVERED	52" D x 14.5" H **BLADE**: 3 x 23.11"	**AIRFLOW:** 3405 CFM **AIRFLOW EFFICIENCY** 89 CFM / W **ELECTRICITY USE:** 29W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 12°

Includes:
4" Downrods





52"

TANKER-DC



TANKER-DC | 88816

Clean and contemporary, the Tanker ceiling fan is damp rated so whether it is a covered outdoor living space or any room indoor this sleek fan suits the application. Additional extension rods may be purchased to acquire the desired length. Available with and without light kit.

Indoor/Outdoor | DC Motor | Damp Rated | ABS Blades



88816BK



88816SN





FCT88816WT
(Included)

88816

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
24W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1680 DELIVERED	52" D x 14.5" H **BLADE**: 3 x 23.11"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	3853 CFM 301 CFM / W 9W	6" (FRD06) 12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 12°

Includes:
4" Downrods





TANKER HUGGER

52"



TANKER HUGGER | 88803

Clean and contemporary, the Tanker ceiling fan is damp rated so whether it is a covered outdoor living space or any room indoor this sleek fan suits the application. Ditch the fan rod and convert to a hugger. Available in 3 different finishes: Satin Nickel, Matte Black, Matte White.

Indoor/Outdoor | AC Motor | ABS Blades



88803BK



88803SN



88803MW





FCT8881WT
(Included)

88803

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	
12W LED INTEGRATED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 840 DELIVERED	52” D x 10” H **BLADE**: 3 x 24”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4578 CFM 94 CFM / W 37W

COMPLETE FINISH AND BLADE OPTIONS:

- **MATTE WHITE** (MW)
- **BLACK** (BK)
- **SATIN NICKEL** (SN)

BLADES

MATERIAL: ABS
PITCH: 12°







52" TRIO

TRIO | 88783 | 88793

A contemporary, yet transitional look at economical pricing, the Trio fan is finished in Satin Nickel with 3 straight fan blades in Black on one side and silver on the other side. The fan is powered by an included wall control or pull chain as well as LED JA8 compliant bulbs included.

Indoor | AC Motor | Plywood Blades | Reversible Blades | Wall Control or Pull Chain Options







FCT88801WT
(Included w/ 88783)



FCT8881WT
*Sold Separately & (Optional w/ 88783)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
88783	2 x 9W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 960 DELIVERED	52" D x 17.5" H **BLADE**: 3 x 22.6"	**AIRFLOW:** 4434 CFM **AIRFLOW EFFICIENCY** 65 CFM / W **ELECTRICITY USE:** 32W	12" (FRD10012) 18" (FRD10018) 24" (FRD10024) 36" (FRD10036*) 48" (FRD10048*) 60" (FRD10060*) 72" (FRD10072*) *Only available in Powder Coat finishes
88793	2 x 9W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 960 DELIVERED	52" D x 17.5" H **BLADE**: 3 x 22.6"	**AIRFLOW:** 4501 CFM **AIRFLOW EFFICIENCY** 95 CFM / W **ELECTRICITY USE:** 36W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / BLACK WALNUT** (BK)
- **MATTE WHITE / WHITE & WHITE OAK** (MW)
- **SATIN NICKEL / SILVER / DRIFTWOOD** (SN)

BLADES

MATERIAL: PLYWOOD
PITCH: 12°

Includes:
6" Downrods


PULL CHAIN OPTIONS


SATIN NICKEL W/ BLACK BLADES



52"
TRIO

TRIO | 89906 | 89909

A contemporary, yet transitional look at economical pricing, the Trio fan is finished in Satin Nickel with 3 straight fan blades in Black on one side and silver on the other side. The fan is powered by an included wall control or pull chain as well as LED JA8 compliant bulbs included.

Indoor | AC Motor | Plywood Blades | Reversible Blades | Wall Control or Pull Chain Options



89906FTSNBK



(SV) (BK)

REVERSIBLE BLADES



89909FTBK



(SV) (BK)

REVERSIBLE BLADES





FCT88801WT
(Included)



FCT8881WT
*Sold Separately &
(Optional w/
89906, 89909)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
89906	2 x 9W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1680 DELIVERED	52" D x 19" H **BLADE**: 3 x 22.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4578 CFM 93 CFM / W 37W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)
89909	2 x 9W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1680 DELIVERED	52" D x 19" H **BLADE**: 3 x 22.6"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4578 CFM 93 CFM / W 37W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / BLACK** (BK)
- **SATIN NICKEL / SILVER / BLACK** (SN)
- **MATTE WHITE / WHITE & WHITE OAK** (MW)

BLADES

MATERIAL: PLYWOOD
PITCH: 12°

Includes:
4" & 6" Downrods



PULL CHAIN OPTIONS



SATIN NICKEL W/ BLACK BLADES



52" QUATTRO

QUATTRO | 88784 | 88794

Featuring four straight fan blades in black on one side and silver on the other, as well as a black and matte white variant, the Quattro fan offers a modern yet transitional style at affordable prices. LED JA8 compatible lamps and a pull chain is supplied to power the fan.

Indoor | AC Motor | Plywood Blades | Reversible Blades

(WT) (OK)



REVERSIBLE BLADES



88784MW

(BK) (WN)



REVERSIBLE BLADES



88794BK
(AC PULL CHAIN)

(SV) (GW)



REVERSIBLE BLADES



88794SN
(AC PULL CHAIN)





FCT8881WT
(Included w/ 88784)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88784	18.5W LED, 120V **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1175 DELIVERED	52” D x 17.25” H **BLADE**: 4 x 22.9”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4518 CFM 91 CFM / W 36W	12” (FRD10012) 18” (FRD10018) 24” (FRD10024) 36” (FRD10036) 48” (FRD10048) 60” (FRD10060) 72” (FRD10072)
88794	18.5W LED, 120V **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1175 DELIVERED	52” D x 17.25” H **BLADE**: 4 x 22.9”	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4518 CFM 91 CFM / W 36W	

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / WALNUT** (BK)
- **SATIN NICKEL / SILVER / GREYWOOD** (SN)
- **MATTE WHITE / WHITE OAK** (MW)

BLADES

MATERIAL: PLYWOOD
PITCH: 10.5°

Includes:
6” Downrods





52"

AERIS

AERIS | 88313 | 88314

Aeris brings a light, effortless presence to rooms where clean design and close-to-ceiling performance matter. This hugger fan pairs a compact AC motor housing with three sweeping ABS blades for smooth, efficient airflow in a refined low-profile form. Available with or without an integrated light kit, the design adapts easily to different room needs. Choose Matte White, Satin Nickel or Polished Chrome finishes with transparent Clear blades for a more modern, floating effect. A hardwired 3-wire wall switch controls fan speed and light dimming when applicable.

Indoor | AC Motor | ABS Blades



88313MW
(No Light Kit)

88313SN
(No Light Kit)

88314PC





FCT88805WT
(Included w/ 88313)



FCT8881WT
(Included w/ 88314)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED
88313	NO LIGHT KIT	52" D x 7" H **BLADES**: 3 x 25.11"	**AIRFLOW:** 5249 CFM **AIRFLOW EFFICIENCY** 89 CFM / W **ELECTRICITY USE:** 37W
88314	18W LED Integrated, 120V **COLOR TEMP:** 3000K, **CRI** 90+ **LUMENS**: lm 1050 DELIVERED	52" D x 9" H **BLADE**: 3 x 25.11"	**AIRFLOW:** 5575 CFM **AIRFLOW EFFICIENCY** 89 CFM / W **ELECTRICITY USE:** 37W

COMPLETE FINISH AND BLADE OPTIONS:

POLISHED CHROME (PC) **MATTE WHITE** (MW)
SATIN NICKEL (SN)

BLADES

MATERIAL: ABS
PITCH: 17.4°



NO LIGHT KIT



POLISHED CHROME W/ CLEAR BLADES

52"

LOWELL



LOWELL | 88808

Economical and good looking, the Lowell hugger fan is a streamlined design for low profile fans. No light kit, no visible hardware, no pull chain, this fan keeps it simple and stylish. A hardwired fan control is included to allow you to set the speed of the fan from a wall switch.

Indoor | AC Motor | Plywood Blades | Economic



88808MW





FCT88805WT
(Included)

	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	
88808	NO LIGHT KIT	52" D x 8.25" H **BLADE**: 3 x 24.25"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4578 CFM 93 CFM / W 37W

COMPLETE FINISH AND BLADE OPTIONS:

☐ **MATTE WHITE** (MW)

BLADES

MATERIAL: PLYWOOD
PITCH: 12°





52"

SUPER-MAX



SUPER-MAX | 88935 | 88936 | 88937

Super-Max updates a conventional indoor fan collection with refreshed blades, brackets, and motor housings for more transitional spaces. Choose from multiple fan light kits, including a two-light bowl and a streamlined LED uni-pack. Available in Matte Black with Black/Walnut blades, Satin Nickel with Silver/Distressed Wood, or White with White/White Oak blades, Super-Max offers reliable comfort with a familiar profile

Indoor | AC Motor | MDF Blades | Reversible Blades | Dual Mount





OPTIONAL LIGHT KITS
(Sold Separately)
(FKT88937)



(FKT215)



	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
88935	NO LIGHT KIT *(FKT OPTIONS ON PAGE 72)*	52" D x 14.5" H **BLADE**: 5 x 20.50"	**Airflow:** **Airflow Efficiency:** **Electricity Use:**	4373 CFM 89 CFM / W 37W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60*) 72" (FRD72*)
88936	7W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1400 DELIVERED	52" D x 20" H **BLADE**: 5 x 20.50"	**Airflow:** **Airflow Efficiency:** **Electricity Use:**	4373 CFM 89 CFM / W 37W	
88937	16W LED **COLOR TEMP:** 3000K, **CRI:** 90+ **LUMENS:** lm 1000 DELIVERED	52" D x 16" H **BLADE**: 5 x 20.50"	**Airflow:** **Airflow Efficiency:** **Electricity Use:**	4373 CFM 89 CFM / W 37W	Only available in Powder Coat finishes *NAB finish NOT available in 60" and 72"

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / BLACK & WALNUT** (BK)
- **NATURAL AGED BRASS / BLACK & WHITE** (SWNAB)
- **SATIN NICKEL / SILVER & DISTRESSED WOOD** (SN)
- **MATTE WHITE / WHITE & WHITE OAK** (MW)

BLADES

MATERIAL: MDF
PITCH: 12°

Includes:
4" & 6" Downrods


PULL CHAIN OPTIONS


BLACK W/ WALNUT BLADES

52"

BASIC MAX



BASIC MAX-INDOOR | 89905 | 89907

The Basic-Max ceiling fan features the ability to be installed three different ways: dual mount, downrods, and optional stems up to 72" long.

Indoor | AC Motor | MDF Blades | Reversible Blades | Light Kit Adaptable | 3 Speed with Reverse



REVERSIBLE BLADES



REVERSIBLE BLADES



89905MW
(No Light Kit)



89905SNSM
(No Light Kit)



89907FTBKWP
(FKT210 Light Kit Included)



REVERSIBLE BLADES





	LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED	DOWNRODS
89905	NO LIGHT KIT *(FKT OPTIONS ON PAGE 72)*	52" D x 12.5 H **BLADES**: 5 x 20.5"	**AIRFLOW:** 4237 CFM **AIRFLOW EFFICIENCY** 78 CFM / W **ELECTRICITY USE:** 38W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)
89907	4 x 9W LED E26 MED, **CRI:** 90+ **LUMENS:** lm 1680 DELIVERED	52" D x 18.25" H **BLADE**: 5 x 20.5"	**AIRFLOW:** 4111 CFM **AIRFLOW EFFICIENCY** 78 CFM / W **ELECTRICITY USE:** 38W	

Includes:
4" Downrods

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK / WALNUT PECAN** (BKWP)
- **SATIN NICKEL / SILVER MAPLE** (SNSM)
- **OIL RUBBED BRONZE / WALNUT PECAN** (OIWP)
- **SATIN NICKEL / WALNUT PECAN** (SNWP)
- **MATTE WHITE** (MW)

BLADES

MATERIAL: MDF
PITCH: 12°



WHITE W/ LIGHT OAK BLADES



OIL RUBBED BRONZE W/ WALNUT BLADES

52"

BASIC MAX



BASIC MAX-OUTDOOR | 89915

The Basic-Max ceiling fan features the ability to be installed three different ways: dual mount, downrods, and optional stems up to 72" long.

Outdoor | AC Motor | Damp Rated | Light Kit Adaptable | 3 Speed with Reverse



89915BK



89915OI



OPTIONAL Light Kits
(Sold Separately)



FKT206BK | FKT206OI | FKT206SN

89915

LAMPING	DIMENSIONS	ENERGY INFO AT HIGH SPEED		DOWNRODS
NO LIGHT KIT	52" D x 12.5" H **BLADE**: 5 x 20.5"	**AIRFLOW:** **AIRFLOW EFFICIENCY** **ELECTRICITY USE:**	4779 CFM 85 CFM / W 37W	12" (FRD12) 18" (FRD18) 24" (FRD24) 36" (FRD36) 48" (FRD48) 60" (FRD60) 72" (FRD72)

COMPLETE FINISH AND BLADE OPTIONS:

- **BLACK** (BK)
- **OIL RUBBED BRONZE** (OI)

BLADES

MATERIAL: ABS
PITCH: 12°

Includes:
4" Downrods





LIGHT KITS

Ceiling fan light kits can add both functionality and beauty to our line of Basic Max-Indoor, Basic Max-Outdoor, and Super-Max Collection. These light kits are available in a variety of shapes and designs.



1 LIGHT
E12 (Not Incl.)

FKT206 BK, OI, **SN**
Outdoor Fan Kit

DAMP

A



3 LIGHT
E12 (Not Incl.)

FKT207 FTMW, FTOI, **FTSN**
Fan Kit

B



3 LIGHT
E26 LED (Incl.)

FKT208 FTBK, **FTOI**, FTSN
Fan Kit

C



3 LIGHT
E12 (Not Incl.)

FKT209 FTMW, **FTOI**, FTSN
Fan Kit

D



4 LIGHT LED
E26 (Incl.)

FKT210 FTBK, FTOI, **FTSN**
Fan Kit

E



3 LIGHT
E12 (Not Incl.)

FKT213 FTBK, FTSN
Fan Kit

F



2 LIGHT LED
E26 LED (Incl.)

FKT214 FTBK, FTOI, FTSN
Fan Kit

G



LED
2 X E26 (Incl.)

FKT215 SWMW, SWNAB, SWSN
Fan Kit

H



LED
16W LED (Integrated)

FKT88937 MW, BK, SN
Fan Kit

I

HOUSING FINISHES


ALUMINUM (AL)


BLACK (BK)


BLACK / GOLD (BKGLD)


SATIN NICKEL (SN)


DARK SATIN NICKEL (DSN)


CHARCOAL (CHL)


BLACK / NATURAL AGED BRASS (BKNAB)


MATTE WHITE (MW)


NATURAL AGED BRASS (NAB)


OIL RUBBED BRONZE (OI)


POLISHED CHROME (PC)

FANDELIGHT FINISHES


BLACK / GOLD (BKGLD)


BLACK (BK)


SATIN NICKEL (SN)


ANTIQUE PECAN / ANTHRACITE (APAR)


NATURAL / DARK BRONZE (NADBZ)


BRONZE GILT (BZGT)


SILVER MIST (SM)


GOLDEN SILVER (GS)


BLACK / NATURAL AGED BRASS (BZGTGLD)

BLADE FINISHES | *WOOD, PLYWOOD / MDF, ABS, ALUMINUM*

ABS BLADES:


BLACK (BK)


TEAK (TK)


DRIFTWOOD (DW)


GREY WOOD (GW)


WHITE (WT)


SILVER (SV)


WALNUT (WN)


SILVER MIST (SM)


GOLDEN SILVER (GS)

WOOD BLADES:


WHITE (WT)


BLACK (BK)


WALNUT (WN)


GREY WOOD (GW)


WEATHERED WHITE (WW)

PLYWOOD / MDF BLADES:


BLACK (BK)


SILVER / BLACK WALNUT (SV/BKWN)


SILVER / WALNUT (SV/WN)


SILVER / MAPLE (SV/MP)


WHITE / OAK (WT/OK)


BLACK / WALNUT (BK/WN)

BLACK / MATTE WHITE (BK/MW)

SILVER / WHITE (SV/WT)

WHITE (WT)

ALLUMINUM BLADES:

ALUMINUM (AL)

DOWNRODS

Optional fan rods lower the breeze for more efficient air circulation. Maxim provides a range of sizes for fan rods from 12” to 72” to accommodate taller ceiling heights. Please review the below chart to confirm if you require an additional fan rod in your application.

DOWN ROD CAPABILITY CHART

DOWN ROD LENGTH *(SUGGESTED)*	6"	10"	12"	18"	24"	36"	48"	60"	72"	FINISHES
CEILING HEIGHT	8FT		9FT	10FT	11FT	12FT	13FT	14FT	15FT	
STANDARD SIZE	FRD 06		FRD 12	FRD 18	FRD 24	FRD 36	FRD 48	FRD 60	FRD 72	**BK** (MATTE BLACK) **SN** (SATIN NICKEL) **MW** (MATTE WHITE) **OI** (OIL RUBBED BRONZE)
0.85" OD COMPATIBLE WITH:	**BASIC-MAX:** 89905, 89907, 89915 | **SUPER-MAX:** 89935, 89936, 89937 | **TRIO:** 89906, 89909 **TANKER**: 88805, 88806, 88816 | **CUPOLA:** 88801 | **ULTRA SLIM:** 88807 **DAISY:** 88826 | **QUATTRO:** 88794									
SELECT SIZE	FRD 100 06		FRD 100 12	FRD 100 18	FRD 100 24	FRD 100 36	FRD 100 48	FRD 100 60*	FRD 100 72*	**BK** (MATTE BLACK) **SN** (SATIN NICKEL) **MW** (MATTE WHITE) **CHL** (CHARCOAL) * **NAB** (NATURAL AGED BRASS) **DSN** (DARK SATIN NICKEL) *(* FINISH NOT AVAILABLE IN THIS LENGTH)*
1.00" OD COMPATIBLE WITH:	**WOODWIND:** 88831, 88833, 88834 | **VORTEX:** 88836, 88837, 88839, 88846, 88847, 88849 **KEANU:** 88753, 88754, 88755 **FALCON:** 88707, 88708, 88717 | **HELM:** 88878 | **BOLA:** 88811 **CONDOR:** 88766, 88767, 88768 | **SPARROW:** 88731 **QUATTRO:** 88784 | **TRIO:** 88793, 88783 | **DRIFTER:** 88772 | **PETALS:** 88326 | **DAISIES**: 88828									
ALUMINUM	FRDE 100 06	FRDE 100 10	FRDE 100 12	FRDE 100 18	FRDE 100 24	FRDE 100 36	FRDE 100 48	FRDE 100 60	FRDE 100 72	**BK** (MATTE BLACK) **SN** (SATIN NICKEL) **MW** (MATTE WHITE)
1.00" OD COMPATIBLE WITH:	**SURF:** 88742 | **SEABORNE:** 88723 | **ALBATROSS:** 88366, 88367									
FANDELIGHTS	FRD 01 06		FRD 01 12	FRD 01 18	FRD 01 24	FRD 01 36				**BK** (BLACK) **SN** (SATIN NICKEL) **AR** (ANTHRACITE) **SM** (SILVER MILST) **GS** (GOLDEN SILVER) **DBZ** (DARK BRONZE) **BZGT** (BRONZE GILT)
1.00" OD COMPATIBLE WITH:	**ODEON:** 61018 | **SOLITAIRE:** 61013 | **BODEGA BAY:** 61004 | **SOLSTICE:** 61005 | **CORONA:** 61001, 61002 **JEWEL:** 61019 | **WEAVE:** 61010 | **TULUM:** 61012, 61014 | **PORTCULLIS:** 61016									

FAN HEIGHT TIP: INSTALL YOUR FAN BETWEEN 84-96” ABOVE THE FINISHED FLOOR

STANDARD CEILING INSTALLATION



CLOSE-TO-CEILING INSTALLATION



Directly mount canopy to fan housing using screws provided

SLOPED CEILING FAN ADAPTERS



FSCA45Sxx

Sloped ceiling fan rod adapter for 0.85” Fan Rod.

*Adapter Accessory



FSCKT45xx

Sloped ceiling fan canopy kit for all 1” Fan Rod.

*Includes canopy and sloped ceiling adapter accessory

AVAILABLE FINISHES

(BK) (SN) (OI) (MW) | (BK) (SN) (CHL) (MW) (NAB)

FAN TIPS

Winter:
Clockwise



Summer:
CounterClockwise



MOUNTING OPTIONS



A fan should be 96" from the ground to the ceiling.

Side Note: Below are 3 Mounting options.

A

CLOSE TO CIELING



A fan should be 84" from the ground while keeping 36-48" above the bed. Leave an 18" distance from any surrounding walls.

Note: See Fan Sizing Per SQ.FT below.

B

SLOPED CIELING



Large open spaces may require more than one fan in the room. Fans should be spaced 24-36" away from any wall, and leave at least 36-48" between fans.

Note: Slope ceiling adapter needed for over 20° pitch.

C

EXTENDED -
HIGH CIELINGS



A fan should be 84" from the ground while keeping 36-48" above a seating area.

Note: See down rod capability chart.

SIZING A FAN		
90-120 SQ. FT.	120-350 SQ. FT	OVER 350 SQ. FT.
		
44"-52"	48"-58"	60" OR LARGER FANS

AC FAN CONTROLS



FCT 88805WT
Fan Control Only
Three Speed Fan Control

Included with:
88805, 88807, 88808



FCT 88801WT
AC Motor Wall Control
3-Wire
Light and Fan Speed Controls
On/Off Rocker Switch for Light

Included with:
88783, 88801, 88802, 88806,
89906, 89909



FCT 8881WT
AC Wall Control
3-Wire
Light Dimming and Fan Control
*Included

Included with:
88707, 88708, 88723
88784, 88826, 88803



FCTHAND
Universal AC Wall Remote
Compatible with All AC Motorized Fans

Optional with:
88707, 88708, 88723, 88783, 88784, 88801
88802, 88803, 88805, 88806, 88807, 88808
88811, 88826, 88830, 88831, 88833, 88834
88836, 88837, 88839, 88846, 88847, 88849
89906, 89909



FCTWALL
Universal AC Wall Remote
Compatible with All AC Motorized Fans
3-Wire Wall Control

Optional with:
88707, 88708, 88723, 88783, 88784, 88801
88802, 88803, 88805, 88806, 88807, 88808
88811, 88826, 88830, 88831, 88833, 88834
88836, 88837, 88839, 88846, 88847, 88849
89906, 89909



FCT2WCREM
Universal AC Wall Control & Remote Set
Compatible with All AC Motorized Fans
3-Wire Wall Control

Optional with:
88707, 88708, 88723, 88783, 88784, 88801
88802, 88803, 88805, 88806, 88807, 88808
88811, 88826, 88830, 88831, 88833, 88834
88836, 88837, 88839, 88846, 88847, 88849
89906, 89909

DC FAN CONTROLS



FCT 8887_WT
DC Wall Remote
Fan Speed Control
Light Control: Dimming & CCT Select 27-30-40K
Reverse Function

Included with:
88811, 88830, 88831, 88833, 88834, 88836,
88837, 88839, 88841, 88846, 88847, 88849,
88878



FSWT 887_WT
Hard wired DC Fan Wall Control
2-Wire
Fan Speed Control
Light Control: Dimming & CCT Select
Pair upto 6 fans with one switch

Optional with:
88753, 88754, 88755, 88717, 88766,
88767, 88768



FCT 888_WT
DC Wall Remote
Fan Speed Control
Light Control: Dimming & CCT Select 27-30-40K
Reverse Function

Included with:
88811, 88830, 88831, 88833, 88834, 88836, 88837, 88839, 88841, 88846, 88847, 88849, 88878



FSWT 8883WT
Hard wired DC Fan Wall Control
2-Wire
Fan Speed Control
Light Cntrol: Dimming
Pair upto 6 Fans with one switch

Optional with:
88811, 88830, 88831, 88833, 88834
88836, 88837, 88839, 88846, 88847
88849



FCT88816WT
Hard Wired DC Wall Remote
2-Wire
Fan Speed Control
On/Off Light Control
Random Program Pre-Set

Included with:
88816

FANDELIGHT™



FCT 6000WT
FANDELIGHT ™ Wall Remote
Magnetically Connect to Wall Plate
Light Dimming
Battery Included

Included with:
61004, 61009, 61013, 61016
61018, 61022, 61010



FCT6100WT
FANDELIGHT ™ Wall Remote
Magnetically Connect to Wall Plate
Light Dimming
Battery Included

Included with:
61001, 61002, 61005, 61006
61012, 61014, 61019

CONTROL CAPABILITY

AC FANS

FCT = FAN CONTROL REMOTE + RECEIVER						I = INCLUDED	O = OPTIONAL
FAMILY	SKU	FCT88805WT	FCT88801WT	FCT8881WT	FCTHAND	FCTWALL	FCT2WCREM
AERES	88313	I			O	O	O
	88314			I	O	O	O
CUPOLA	88801		I	O	O	O	O
DAISY	88826			I	O	O	O
DAISIES	88828			I	O	O	O
FALCON	88708			I	O	O	O
LOWELL	88808	I			O	O	O
QUATTRO	88784			I	O	O	O
SEABORNE	88723			I	O	O	O
TANKER AC	88805	I			O	O	O
	88806		I	O	O	O	O
TANKER HUGGER	88803			I	O	O	O
TRIO	88783		I	O	O	O	O
	89906		I	O	O	O	O
	89909		I	O	O	O	O
ULTRA SLIM	88807	I			O	O	O

DC FANS

FCT = FAN CONTROL REMOTE + RECEIVER | FSWT = FAN HARDWIRED SWITCH					I = INCLUDED	O = OPTIONAL
FAMILY	SKU	FCT887__WT	FCT888__WT	FSWT887__WT	FSWT8883WT	FCT88816WT
ALBATROSS	88366			FSWT88366WT		
	88367			FSWT88366WT		
BOLA	88811		FCT88811WT		FSWT88811WT	
CONDOR	88766	FCT88766WT		FSWT88766WT		
	88767			FSWT88767WT		
	88768	FCT88768WT		FSWT88768WT		
DRIFTER	88771			FSWT88771WT		
	88772			FSWT88772WT		
FALCON DC	88717	FCT88717WT		FSWT88717WT		
HELM	88878		FCT88878WT			
KEANU	88753	FCT88753WT		FSWT88753WT		
	88754	FCT88753WT		FSWT88753WT		
	88755	FCT88755WT		FSWT88755WT		
PETALS	88326			FSWT88326WT		
SPARROW	88731			FSWT88731WT		
SURF	88742			FSWT88742WT		
TANKER DC	88816					FCT88816WT
VORTEX INDOOR	88836		FCT88836WT		FSWT88836WT	
	88837		FCT88837WT		FSWT88837WT	
	88839		FCT88839WT		FSWT88839WT	
VORTEX OUTDOOR	88846		FCT88846WT		FSWT88846WT	
	88847		FCT88847WT		FSWT88847WT	
	88849		FCT88849WT		FSWT88849WT	
WOODWIND HUGGER	88830		FCT88830WT		FSWT88830WT	
WOODWIND	88831		FCT88831WT		FSWT88831WT	
	88833		FCT88833WT		FSWT88833WT	
	88834		FCT88834WT		FSWT88834WT	

FANDELIGHT FANS

FCT = FAN CONTROL REMOTE + RECEIVER		I = INCLUDED	O = OPTIONAL
FAMILY	SKU	FCT6000WT	FCT6100WT
BODEGA BAY	61004	I	
CORONA	61001		I
	61002		I
JEWEL	61019		I
ODEON	61018	I	
PORTCULLIS	61016	I	
SOLSTICE	61005		I
	61006		I
SOLITAIRE	61013	I	
TULUM	61012		I
	61014		I
WEAVE	61010	I	



RESOURCES



The direct current fans, or DC fans, are powered with a potential of fixed value such as the voltage of a battery, An AC fan motor is an electromechanical device that converts electrical energy into mechanical energy to rotate fan blades.



Marine Grade fans built with ABS housing, canopy and blades, anti-corrosive components, a UV-rated powder-coated finish and a wet-location motor, backed by a five-year finish warranty even in harsh coastal environments.



Damp Rated Fans are suitable for use in outdoor areas with covered ceilings such as patios or open walkways.



Wet Rated fans are approved for use outdoors that may experience direct contact with water.



The ETL Listed Mark indicates to distributors, retailers and customers that your product has been tested by Intertek and found in compliance with accepted national standards.



Energy Star is a government-backed labeling program that helps people and organizations save money and reduce greenhouse gas emissions by identifying items that have superior energy efficiency.



California Energy Commission regulation that lists both Title 20 and Title 24 Appliance energy requirements.



Department of Energy (DOE) federally regulated Fan listing.



Dimmable led lights mean you can adjust the brightness or lumen levels according to your needs.



Wi-Fi enabled means that a device can connect to the Internet when there is a local Wi-Fi network connection available.



Wi-Fi enabled Control allows the user to control color temperatures between a range, typically between warm 2700 and cool 5000K and everything in between.



Either toggle or remote based switch that allows the user to define between 3-5 fixed color temperatures with memory function.

WARRANTY

1. **Limited Lifetime Motor Warranty:**
If any part of our fan motor fails, due to a defect in materials or workmanship during the lifetime of the original purchaser, Maxim Group will provide the replacement part free of charge, when the defective fan is returned to our national service center. Proof of purchase is required is required. The customer shall be responsible for all costs incurred in removal or reinstallation and shipping of the product for repairs or replacement.

2. **One Year Motor Labor Warranty:**
If your fan motor fails at any time within one year from the original purchase, due to defects in materials or workmanship, labor to repair the motor will be provided free of charge at our national service center. The purchaser will be responsible for labor charges after this one-year period. Customer shall be responsible for all costs incurred in the removal or installation and shipping of the product for repairs or replacement.

3. **If any other part of your fan fails at any time within one year after original purchase**, due to defect in materials or workmanship, we will repair or replace, at our option, the defective part free of charge for parts and labor performed at our national service center.

4. **Because of varying climate conditions,** this warranty does not cover changes in the finish, including rusting, pitting, corroding, tarnishing, or peeling.

5. **This warranty is void and does not apply to** damage from improper installation, neglect, accident, misuse, exposure to extremes of heat or humidity, or because of any modification to the original product.

6. **All costs of removal and reinstallation of the fan** are the sole responsibility of the owner of the fan and not the store that sold the fan or Maxim Group.

7. **Maxim Group reserves the right to modify or discontinue** any product at any time and may substitute any part under warranty.

8. **Under no circumstances may a fan be returned without prior authorization from Maxim Group.** The receipt of purchase must accompany authorized returns and must be sent freight prepaid to Maxim Group. The fan to be returned must be properly packed to avoid damage in transit; Maxim Group will not be responsible for any damage resulting for improper packaging.

9. **It is understood that any repair or replacement is the exclusive remedy available from Maxim Group.** There is no other expressed or implied warranty. Maxim Group hereby disclaims any and all implied warranties, including, but not limited to those of merchantability and fitness for a particular purpose to the extent permitted by law. Some states do not allow limitations or implied warranties. Maxim Group will not be liable for incidental, consequential, or specials damages arising out or in conjunction with the product use or performance, except as may otherwise be accounted by law. This warranty gives you special legal rights and may also have other rights that vary from state to state.

10. **A certain amount of wobble is normal** and should not be considered a problem or a defect.

MAXIM®
LIGHTING